


FIELD SAFETY INSPECTION DECISION MAKING

BASIC CONSIDERATIONS:

- Condition of playing field in accordance with the laws of the game?
- Athletic field or concrete border around playing field within 5 m of the playing field?
- Fixed objects within 5 m of playing field? Movable objects within 5 m of playing field?





SAFETY DECISION MAKING MATRIX



SAFE TO PLAY WITH MINOR ADJUSTMENTS OR FIXES

- Bring field markings in to make field smaller and create sufficient distance away from movable or fixed objects surrounding the field
- Increase playing enclosure perimeter space surrounding the playing field to create sufficient distance away from movable objects
- Need to provide protective padding or mats over athletic field, concrete border, or in front of movable or fixed objects
- Need to completely remove unsafe fixed or movable objects
- Perform 'chicken-parade' inspection of fields before matches to remove any dangerous objects such as glass

INSAFE

Unsafe to play, major adjustments required. All rugby suspended until cleared by Union representative



EMERGENCY ACTION PLAN OR EAP DETAILS REQUIRED

- · Layout of the facility and access to the facility
- Equipment available
- Internal support personnel
- External support personnel
- Communication required
- Follow up required post catastrophic injury

ADDITIONAL INFORMATION

- Nearest Accessible Private Hospitals
- Nearest Accessible Government Hospitals
- Nearest Spinal Unit Accessible
- Local Government Emergency Service Providers
- Local Private Emergency Service Providers
- BokSmart Spineline
- SICM or Serious Injury Case Manager
- Always have qualified adult supervision with scholars
- Practice techniques regularly with medical teams prior to match days



WWW.BOKSMART.COM



